

# PORTABLE GANTRY ALU




**EUROCRANE**  
— AUSTRALIA P/L —

- ✓ **LIGHTWEIGHT**
- ✓ **EASILY ADJUSTABLE**
- ✓ **FOLDABLE**
- ✓ **CORROSION RESISTANT**

Developed especially for the Australian market, the PGAF and PGAW meet all the Australian Standard requirements with added safety features.

**Created for those who need a portable lifting solution...**

The PGAW is mounted on wheels for easy travel of the load while the PGAF is designed for static applications



**GANTRY ALU** is a lightweight, portable Gantry Crane solution. Built tough for tough jobs. Constructed using lightweight aluminium components for maximum strength, durability and corrosion resistance, **GANTRY ALU** stands up to the toughest of jobsites. Available in static and moveable configurations with capacities up to 2T and spans from 2 - 6m.



**CUSTOM DESIGN AVAILABLE**





## IDEAL FOR

WATER TREATMENT  
MUNICIPALITIES  
AGRICULTURAL EQUIPMENT  
SITE INSTALLATION  
MANUFACTURING  
SHIP MAINTENANCE  
EQUIPMENT MAINTENANCE  
CAR REPAIRS  
AND MORE...

Corrosion resistant aluminium construction making the **GANTRY ALU** suitable for the harshest of environments

Assembled with high tensile zinc plated bolts and quick release fittings for quick and easy assembly

Main beam constructed using **EUROSYSTEM** AL10/AL14 aluminium cold extrusion. Each profile is anodized both inside and outside allowing remarkable resistance to wear

Disassembles and folds into 3 pieces for convenient transportation and storage

Lift height can be easily adjusted in 150mm increments

Span just as easily adjusted in 150mm increments

Powder coated elements for modern design



## CHOOSE YOUR SETUP

**ZHR** Manual chain block from 500kg to 20000kg (max. 2000kg for the **GANTRY ALU**)

- Overload limiter as standard
- WESTON type lifting brake
- Heavy duty, galvanized finish hoisting chain with electrogalvanized hand chain
- ISO hooks with safety latches
- Offshore high resistance powder coating (220μ)

**EUROCHAIN VR** Electric chain hoist from 63kg to 5000kg (max. 2000kg for **GANTRY ALU**)

- New lifting nut concept with intermediate teeth for perfect chain drive
- Torque limiter
- Disk lifting brake
- Dual-speed lifting with limit switch for up and down position
- Tropic-proof protection (lifting and steering – 90 to 95 %)
- Galvanised lifting chain
- «Punch» emergency stop button
- 70 mm, RAL 7021 epoxy powder paint
- IP55 protection

**STAGEMAKER** Electric chain hoist up to 500kg

- Amazingly compact and lightweight with 100% aluminium body
- Double brakes allowing suspended loads over people
- 4m/min lifting with limit switch for up and down position
- Galvanised lifting chain
- «Punch» emergency stop button
- 70 mm, RAL 7021 epoxy paint
- IP55 protection



## PRODUCT RANGE

MODEL	TYPE	CAPACITY	SPAN RANGE
<b>PGAF1 (1495-2245mm)</b>	Static	Up to 2T	2000-6000mm
<b>PGAF2 (1795-2845mm)</b>	Static	Up to 2T	2000-5000mm
<b>PGAF3 (2245-3595mm)</b>	Static	Up to 2T	2000-4000mm
<b>PGAF3 (2245-3595mm)</b>	Static	Up to 2T	2000-3000mm
<b>PGAW1 (1752-2502mm)</b>	Movable	Up to 2T	2000-6000mm
<b>PGAW2 (2054-3104mm)</b>	Movable	Up to 2T	2000-5000mm
<b>PGAW2 (2054-3104mm)</b>	Movable	Up to 2T	2000-4000mm
<b>PGAW2 (2054-3104mm)</b>	Movable	Up to 2T	2000-3000mm
<b>PGAW3 (2502-3852mm)</b>	Movable	Up to 1.5T	2000-6000mm
<b>PGAW3 (2502-3852mm)</b>	Movable	Up to 1.5T	2000-5000mm



**EUROCRANE AUSTRALIA**  
28 Yellowbox Drive  
Craigieburn VIC 3064



**1300 78 1980**



contactus@eurocrane.net.au

**CHECK OUR OTHER LIFTING SOLUTIONS**

**<https://www.eurocrane.net.au>**

